

City of Los Angeles Approval

Electrical products and devices including Carbon Monoxide, Nitrogen Dioxide and Methane Detectors that are UL listed based on the applicable testing standards are not required to be approved by City of LA Electrical Testing Laboratory when such devices are installed in the City of Los Angeles. However, to ensure that Electrical Plan Check and Electrical inspection have all the information needed to approve the plans and pass inspection you are required to do the following.

1. Show the make and model number of these devices and where these devices are installed on the electrical plans.
2. Include the product manufacturer cut sheet on the plans showing that these devices are UL listed or listed by another City of LA recognized testing agency. **Macurco are ETL (Intertek) Listed to UL2075**
3. Show that these devices are installed in accordance with the listing conditions and the manufacturer installation instructions.
4. Ensure that these devices are installed in accordance with the plans approved by Electrical Plan Check
5. If these devices are installed in conjunction with an electrical control panel then the control panel shall be listed by a City Of LA recognized listing agency or by LADBS Electrical Testing Laboratory. **Macurco are ETL (Intertek) Listed to UL2017**
6. In the event that the devices installed in the field are not the same as what is stated on the plans, you will need to revise your plans and obtain Electrical Plan Check approval for the revisions made.

Links to the Certifications:

UL 2075: Gas and Vapor Detectors and Sensors

[Macurco CM-6 & CM-12](#)

[Macurco CX-6, CX-6-CO, CX-6-NO2](#)

[Macurco GD-6](#)

UL 2017: General-Purpose Signaling Devices and Systems

[Macurco DVP-120, DVP-120M, DVP-120B, DVP-120C](#)

[Macurco DVP-1200, DVP-1200N](#)

If you have any questions or issues regarding approval through the Electrical Plan Check please reach out to the following:

Macurco Gas Detection
David Rodriguez
West Coast Territory Manager
605-900-6925
Drodriguez@macurco.com

Los Angeles Department of Building Safety
Adel Salah-Eddine, PE
Assistant Bureau Chief
Permit & Engineering Bureau
213-482-0053
adel.salah-eddine@lacity.org

