# **SOLO PRODUCT CATALOG**

SOLD BY:

GasDetectorsUSA.com

+1-281-643-0080 sales@gasdetectorsusa.com

Gas DetectorsUSA



# SDi Product Catalog

# CONTENTS

AEROSOLS
Solo A10 Aerosol Smoke4
Solo C6 CO Aerosol4
A7 Air Detector Duster4
Blowout Detector Duster4
SmokeSabre5
Smoke Centurion5
SOLO DETECTOR TESTERS
Solo 330 Dispenser6
Solo 332 Dispenser6
Solo 460 Cordless Heat Tester7
Solo 461 Heat Detector Test Kit7
Solo 200 Removal Tool8
SOLO ACCESS POLES
Solo 101 4' Extension Pole9
Solo 108 8' Access Pole9
Solo 100 15' Access Pole9
SOLO 365
Solo 365 Test Kit10, 11
Solo 365 Smoke Cartridges I I
Solo 365 ASD AdapterI I
TESTIFIRE
Testifire 100113
Testifire 200113
Testifire CO Capsules13
Testifire Smoke Capsules13
Testifire Kits14

TRUTEST SENSITIVITY TESTING Trutest Unit
SOLO TEST KITS Solo Smoke Starter Kits
ALARM COMPONENT TESTERS Cell Checker
SPEECH INTELLIGIBILITY TESTING SM50 Speech Intelligibility Meter22 BTB65 Talkbox
SPARE & MISCELLANEOUS PARTS         Solo Accessories       25         Solo 610 Equipment Bag       25         Solo 726 Charger       25         Solo 743 PDA Holder       25         Solo 760 Battery Baton       25
Testifire Accessories

# **AEROSOLS**





#### **SOLO A10 AEROSOL SMOKE**











Non-flammable aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. Sold in cases of 12.







#### SOLO C6 AEROSOL CO









Non-flammable aerosol CO for the functional testing of CO detectors. For use by hand or with a dispenser (Solo 330/332). Sold in cases of 12.

#### A7 AIR DETECTOR **DUSTER**







Non-flammable hand-held canned air solution. A7 Air is silicone-free and conforms to new global aerosol regulations. A7 Air 10oz cans are sold in cases of 12.




#### **BLOWOUT DETECTOR DUSTER**













#### **SMOKESABRE**














Hand-held aerosol smoke for the functional testing of smoke detectors. Silicone-free. No CFC's. Sold in cases of 12.









#### **SMOKE CENTURION**











Aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. No CFC's and low GWP Propellant. Sold in cases of 12.



# **AEROSOL DISPENSERS**



#### **SOLO 330 AEROSOL DISPENSER**









Solo 330 is universal, lightweight and simple to use. Its swing frame allows for use at any angle.

Use with Solo AIO or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. Lifetime limited warranty.



#### **SOLO 332 AEROSOL DISPENSER**






Solo 332 is a universal, lightweight and simple to use dispenser with a swing frame for use at any angle.

Use with Solo AIO or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. Lifetime limited warranty.









# **HEAT DETECTOR TESTING**



Tests Up To 194°F

#### **SOLO 460 CORDLESS HEAT TESTER**









The industry's leading standalone heat detector tester. The battery-powered Solo 460 is lightweight and easy to use.

Suitable for fixed temperature, rate-of-rise, and combination detectors up to 194°F/90°C.

Contact us for Solo 423/424 Corded Heat Detector Tester.



#### **SOLO 461 HEAT DETECTOR TEST KIT**










#### Includes:

Ix Solo 460 Cordless Heat Head Unit 2x Solo 760\* Battery Batons

1x Solo 726\* Charger

\*Kit pictured with Solo 770 battery and 727 charger. Coming soon to SDi









#### SOLO 200 UNIVERSAL DETECTOR REMOVAL TOOL

### SOLO200

The Solo 200's universal design can accommodate the installation and removal of the widest range of detectors.


Color-coded heads rotate to provide a combination of sizes and settings to suit detectors of varying sizes and shapes. For use with Solo Access Poles. *Lifetime limited warranty.* 

# **SOLO ACCESS POLES**



#### SOLO 100 15' TELESCOPIC **ACCESS POLE**





Minimum possible whip or bend at height. Certified non-conductive, protecting both the engineer and overhead live equipment from inadvertent shorts. Compatible with all Solo, Testifire, and Trutest head units. Lifetime limited warranty.



#### **SOLO 108 8' TELESCOPIC ACCESS POLE**





The lightweight, easy to use Solo 108 Access Pole adds 7.2ft to your testing height capability.

Minimum possible whip or bend at height. Certified non-conductive. Compatible with all Solo, Testifire, and Trutest head units. Lifetime limited warranty.



#### **SOLO 101 4' EXTENSION POLE**





The lightweight, easy to use Solo 101 Extension Pole adds 3.9ft to your testing height capability. Can be used on its own or add up to three extension poles to extend the Solo 100 or Solo 108.

Minimum possible whip or bend at height. Certified non-conductive. Lifetime limited warranty.







#### **SOLO 365 ELECTRONIC SMOKE DETECTOR TESTER**









Solo 365, the latest innovation in Solo's detector tester line, uses non-hazardous, non-pressurized, environmentallyfriendly cartridge technology for smoke generation.

Solo 365 allows for faster testing and creates less smoke waste with an auto-start proximity sensor that automatically generates smoke when the detector enters the cup. Its unique clearing mode all but eliminates repeat alarms by clearing remaining smoke.



#### **SOLO 365 SMOKE DETECTOR TESTER**













1x Solo 365 Smoke Detector Tester

Ix Solo EST Smoke Cartridge

1x Solo 371 Smoke Generator

1x 370 Lithium Ion Battery Pack

Ix USB Universal Charger







Solo 372 transforms your 365 into an ASD detector tester. Easily fitted to allow for the functional testing of ASD systems.

CONSUMABLES	
Solo 365 Smoke Cartridges (6-Pack)	SOLOES6
Solo 365 Battery Pack	SOLO370
Solo 365 Smoke Generator	SOLO371

Testifire is the world's leading multicriteria detector tester. The all-in-one Testifire allows for faster and more efficient testing of both single and multi-sensor detectors.

Choose Testifire 1001 for testing heat and smoke or Testifire 2001 to test heat, smoke, and CO.

Testifire can deliver each stimulus individually or all three stimuli simultaneously, increasing productivity and lowering the overall testing time by up to 66%. A built-in clearing cycle provides rapid detector reset with no repeat alarms.



# **MULTICRITERIA DETECTOR TESTERS**



#### **CONSUMABLES**

Testifire Smoke Capsules (3-Pack) TS3



TESTIFIRE SMOKE, HEAT AND CO TEST KIT

**Tests** Up To 212°F













1x Testifire 2000 Head Unit

Ix TS1 Smoke Capsule

Ix TC1 CO Capsule

1x Solo 726\* Battery Charger

2x Solo 760\* Battery Batons



#### **CONSUMABLES**

_	Testifire Smoke Capsules (3-Pack)	TS3	
_	Testifire CO Capsules (3-Pack)	TC3	

# **MULTICRITERIA TEST & INSPECTION KITS**

**SMOKE & HEAT DETECTOR TESTING KIT** 

TF1851 (// 🎉







30ft

Reach

#### Includes:

Testifire 1001\* Smoke & Heat Kit 1x Solo 100 15' Access Pole 1x Solo 101 4' Extension Pole Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



#### **SMOKE. HEAT & CO DETECTOR TESTING KIT**













Testifire 2001\* Smoke, Heat & CO Kit 1x Solo 100 15' Access Pole Lx Solo 101 4' Extension Pole Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



#### **SMOKE & HEAT DETECTOR TESTING KIT**







#### Includes:

Testifire 1001\* Smoke & Heat Kit 1x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



**SMOKE. HEAT & CO DETECTOR TESTING KIT** 







30ft Reach

#### Includes:

Testifire 2001\* Smoke, Heat & CO Kit 1x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



\*Kits are pictured with Solo 770 battery and 727 charger. Coming soon to SDi

# **DETECTOR SENSITIVITY TESTING**





#### TRUTEST SMOKE DETECTOR SENSITIVITY TESTER







Over time, smoke detector sensitivity can drift, becoming more or less sensitive. This fluctuation in sensitivity can cause the alarm to function ineffectively. Using detector testers to check the sensitivity of fire alarms is not only required by law but also provides greater control over the sensitivity of the fire alarms you're inspecting.

Trutest combines functional and sensitivity testing in one convenient package. With only one test, Trutest reads the precise detector sensitivity, indicating whether the detector needs to be recalibrated or replaced.



#### TRUTEST SMOKE DETECTOR SENSITIVITY TEST KIT







#### Includes:

1x Trutest 801 Smoke Detector Sensitivity Tester 12x Trutest Smoke 400 Detector Test Aerosol Canisters

Ix Storage Case and Pole Bag 1x Solo 100 15' Telescopic Access Pole





#### **SMOKE 400 AEROSOL SMOKE DETECTOR TESTER**







Smoke 400 is a non-flammable aerosol that is used with the Trutest 801 to test the detector sensitivity of ionization or photoelectric smoke detectors. Sold with Trutest in the 800 Kit or available separately in cases of 12.



#### **SMOKE STARTER KIT**

I Oft Reach

SOLO810



#### Includes:

1x Solo 101 4' Extension Pole 1x Solo 330 Dispenser 12x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag



12ft

Reach

**SMOKE STARTER KIT** 

SOLO808

#### Includes:

Lx Solo 108 8' Access Pole 1x Solo 330 Dispenser 12x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag



**SMOKE STARTER KIT** 





#### Includes:

1x Solo 100 15' Access Pole 1x Solo 330 Dispenser 12x Smoke Centurion Aerosols 1x Solo 604 Carrying Bag

20ft Reach



#### **SMOKE, HEAT & CO TECHNICIAN KIT**











#### Includes:

1x Solo 100 15' Access Pole

1x Solo 101 4' Extension Pole

Lx Solo 200 Universal Removal Tool

Ix Solo 330 Dispenser

1x Solo 460 Heat Detector Tester

1x Solo 726\* Battery Charger

2x Solo 760\* Battery Batons

1x Solo 610 Carrying Bag



24ft

Reach

30ft

Reach

sales@gasdetectorsusa.com

#### **SMOKE, HEAT & CO ENHANCED TECHNICIAN KIT**











#### Includes:

1x Solo 100 15' Access Pole

3x Solo 101 4' Extension Pole

Lx Solo 200 Universal Removal Tool

1x Solo 330 Dispenser

1x Solo 460 Heat Detector Tester

1x Solo 726\* Battery Charger

2x Solo 760\* Battery Batons

1x Solo 610 Carrying Bag



#### **SOLO & TRUTEST KIT**













1x Solo 823\* Enhanced Technician Kit 1x Trutest 801 Detector Sensitivity Tester

12x Smoke 400 Aerosol

12x Solo A10 Smoke Detector Tester

12x A7 Air Detector Duster

Ix Cell Checker



#### **ENHANCED SOLO & TRUTEST KIT**












#### **Includes:**

Ix STI\* Solo and Trutest Kit Ix Duct Checker Ix dB Checker 12x Smoke Centurion

\*Kits are pictured with Solo 770 battery and 727 charger. Coming soon to SDi







# **ELECTRONIC DETECTOR TEST KITS**

#### **COMPACT SMOKE TESTING KIT**

SMART365



#### Includes:

Ix Smart Kit Backpack (with pole bag attachment)

1x Solo 365 Electronic Smoke Detector Tester

Ix Solo IIO Smart 5.75' Telescopic Pole 3x Solo 111 Smart 1.65' Extension Poles



#### **ELECTRONIC SMOKE TESTING KIT**

SOLO900



#### Includes:

1x Solo 100 15' Access Pole

3x Solo 101 4' Extension Poles

1x Solo 200 Removal Tool

Lx Solo 365 Flectronic Smoke Detector Tester

1x Solo 610 Carrying Bag







# ALARM COMPONENT TESTERS



#### **POWER CHECKER**





Power Checker uses a patented, high accuracy pulse load test to provide a comprehensive means of testing the state of charge or state of power for more than 30 primary (non-rechargeable) and rechargeable battery types, including NiMH, Li-Ion, alkaline, lithium, coin cell, button type and more. This microprocessor-controlled unit is designed for commercial or home use.





#### **DUCT CHECKER**

#### DUCT01

Duct Checker is ideal for annual testing to ensure that the duct detector will sample the differential pressure via the sampling tubes, as required by NFPA 72. Duct Checker is manufacturer approved, easy to use, and ensures accurate results.





#### **CELL CHECKER**





Cell Checker utilizes pulse load technology to provide a comprehensive test of a battery's state of charge and condition. Rather than simply displaying a voltage reading, Cell Checker determines a battery's remaining power capacity by measuring its ability to maintain voltage levels while under load.

Use Cell Checker to test the performance of 2- to 12- volt batteries up to 200AH. Cell Checker also tests SLA batteries.



#### **CELL CHECKER ACCESSORIES**

Padded Case	CELL01CS
48" Plier-Type Lead	CELL01LD
48" Clip-Type Lead	CELL01RL
Cell Checker Accessory Kit (Case & Strap)	CELLPAC

# DB CHECKER SOUND LEVEL METERS

The ideal tool for measuring the sound pressure levels for audible alarm notification appliances as mandated by the National Fire Alarm & Signaling Code. Two models are available to support either A frequency weighting (dB01).



#### DB CHECKER 01/02

#### **DB01/DB02**

#### **Specifications:**

- Meets IEC651 Type 2 and ANSI S1.4 Type 2 Standards
- Conforms to NFPA 72
- dB01 Measurement Range: 32 to 130 dB at frequencies of 31.5 Hz to 8 KHz
- dB02 Measurement Range: 40 to 130 dB at frequencies of 100Hz to 8.3KHz
- Easy to use
- A or C frequency weighting (dB01)
- A frequency weighting (dB02)



### **AV CHECKER**

AV Checker is the ideal device for annual testing to ensure that the duct detector will sample the air velocity as required by NFPA 72, and according to manufacturer's instructions.

Checker

ALARM COMPONENT TESTERS

#### **AV CHECKER**

#### **AV02**

#### **Specifications:**

- Ensures duct detector will sample the air velocity correctly
- Easy to use
- Includes custom hard case
- Digital thermometer function
- Conforms to NFPA 72
- Meets CAN/ULC S536-04,5.7.4.4.1



# SPEECH INTELLIGIBILITY TESTING

Fire safety should never be taken for granted. Having an effective, accurate fire safety system is crucial and reliable testing tools are essential to ensure that system is functioning properly. Voice evacuation alarm systems require specific testing tools to ensure the voice is clear and easily understood. SDi proudly offers Bedrock speech intelligibility testing solutions for use with emergency voice systems.



# SPEECH INTELLIGIBILITY TESTER

#### **SM50**

Bedrock SM50 is a universal, easy to use speech intelligibility tester for fire safety systems. The SM50 is designed for ease-of-use, with a simple, user-friendly touch screen for precise and basic control. SM50 is capable of taking both STIPA and full STI measurements and includes features such as RTA, FFT, Reverberation Time, Noise Curves, and more. A built-in USB port provides fast and versatile connectivity to your network. Includes a hard case.

- Conforms to IEC65 | Type 2, ANSI S1.4 Type 2
- Complies with NFPA 72 2013, ANNEX D





#### **TALKBOX**

#### **BTB65**

Along with the SM50, SDi also offers the BTB65 Talkbox. The Talkbox is a calibrated acoustic signal source for taking STIPA measurements and more. It can play test signals through its built-in loudspeaker, or you can use the line-out feature to play the test signals through other devices. Includes a hard case.

- Easy to use touch screen
- Loudspeaker frequency range 20 15,000 Hz
- Plays back signal at a standardized (calibrated) signal level of 54-72 dB(A) at 1 m
- Signal level can be increased/decreased relative to environment
- Powered through external power supply (included)
- Can be purchased with the SM50 as a bundle or as a standalone unit



# **INTELLIGIBILITY TESTING KIT & CASE**



#### INTELLIGIBILITY MEASUREMENT KIT

#### **SMBTBKT**

All the necessary tools for speech intelligibility measurements using STIPA or Full STI.

#### **Includes:**

Ix SM50 STIPA Meter
Ix BTB65 Talkbox

Ix Custom Hard Case





#### **CUSTOM HARD CASE**

#### **SMBTBCS**

Custom hard case fits SM50 STIPA Meter and Talkbox along with all their components, including chargers, microphone, wind screen, calibration certificates and more.

Included with the purchase of SMBTBKT, or available for purchase separately.



# **SPARE & MISCELLANEOUS PARTS**

MISCELLANEOUS	
PDA Holder	SOLO743
SOLO 200	
Solo 200 Transparent Grips	SPARE1002

SOLO 461	
Battery Baton	SOLO760
Charger	SOLO726
Silicone Membrane	SPARE1005
Heat Baffle	BAFFLE

SOLO 330/332	
Replacement Red Cup (Solo 330 Only)	SPARE1028
Silicone Membrane	SPARE1005
5010.245	

SOLO 365	
Solo 365 Battery Pack	SOLO370
Solo 365 Smoke Generator	SOLO371
Solo 365 Cup & Membrane	SPARE1058
Solo 365 Membrane	SPARE1059
Solo 365 Universal Charger/USB Cable	SPARE1060
	317.11,121000

SPARE1048
SPARE1049
TF25
SOLO760
SOLO726

TRUTEST	
Trutest Pole Clamp	TRUT730

# **AEROSOL COMPARISON CHART**

	SOLO AI0	SOLO C6	A7 AIR	SMOKE CENTURION	SMOKESABRE	BLOWOUT
VOLUME	4.8 Oz	-	10 Oz	2.6 Oz	2.6 Oz	10 Oz
ONE SECOND BURSTS	600+	250	Varies	800	300	Varies
FLAMMABILITY				*	<b>*</b>	<b>*</b>
SILICONE	SUICON PREE	(S)LICONA FREE	SUICON REE	SILICON REE	(SILICON) FREE	(SILICON FREE
UL	LISTED	LISTED	-	LISTED	LISTED	-
BASE	Alcohol	-	-	Oil	Oil	-
HANDHELD/ DISPENSER	Both	Both	Handheld	Both	Handheld	Handheld
PRODUCT CODE:	SOLOA10	SOLOC6	A7AIR	M8	SABRE	BLOWOUT